



NTN BEARING MFG.CORP



FYRP 1.1/2 Bearing 2D drawings and 3D CAD models

SKF FYRP 1.1/2 Flange Block Bearings

Bearing No. FYRP 1.1/2

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.365
EAN	7316576664496
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	22208
Seals	Trigard
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch - Metric	Inch
Long Description	4 Bolt Round Flange Cartridge; 1-1/2" Bore; 4.4" Bolt Circle; 3.1" Bolt Spacing; 1 Piece Solid; Concentric Collar Mount; Cast Iron; Spherical Roller Bearing; 2-3/4" Length Thru Bor



NTN BEARING MFG.CORP

Other Features	Double Row Heavy Duty Open End With Set Screw
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FYRP 1.1/2
Weight / LBS	6.3
D	2.75 Inch 69.85 Millimeter
d	1.5 Inch 38.1 Millimeter
Nominal Bolt Circle Diameter Round	4.4 Inch 111 Millimeter
Cartridge Pilot Depth	0.75 Inch 19.05 Millimeter
Bolt Spacing	3.1 Inch 78.5 Millimeter
Cartridge Pilot Diameter	3.625 Inch 92.08 Millimeter
bore diameter:	1-1/2 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	4.3750 in
seal type:	Contact/Lip
overall length/diameter:	5.2500 in
overall depth:	2-57/64 in
flange mounting type:	Four-Bolt Piloted
radial dynamic load capacity:	16600 lb
bearing type:	Spherical Roller
radial static load capacity:	18300 lb
housing construction:	Solid Flange Mount
operating temperature range:	Maximum of +110 ° F
bore type:	Round



NTN BEARING MFG.CORP

finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	222
locking device:	Set Screw