



# NTN BEARING MFG.CORP

3.938 Inch | 100.025 Millimeter x 3.346 Inch | 85 Millimeter x 4.921 Inch | 125 Millimeter TIMKEN LSE315BRHSATL Pillow Block Bearings



LSE315BRHSATL Bearing 2D drawings and 3D CAD models

Bearing No. LSE315BRHSATL

Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	28.71
EAN	0013992041067
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE315BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch - Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
Category	Pillow Block Bearings
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80



## NTN BEARING MFG.CORP

Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Weight / LBS	63.23
D	3.346 Inch   85 Millimeter
B	4.921 Inch   125 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
d	3.938 Inch   100.025 Millimeter
Nominal Bolt Center to Center	13.9 Inch   354 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Actual Bolt Center to Center	13.9 Inch   354Millimeter
Shaft Size	3-15/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit - Standard
Bolt Size	2 x M24
Weight	74 lb
Dimension H	4.921 in
Dimension H1	2.0 in
Dimension H2	10.7 in
Dimension J	13.9 in
Dimension L	16.5 in
Dimension M	4.0 in
Housing Width	5.3 in
Cr - Dynamic Load Rating	64745 lbf
Cor - Static Load Rating	82280 lbf



## NTN BEARING MFG.CORP

Ca - Axial Load Rating	3596.90 lbf
Maximum Speed	2340 rpm
Note	This product line was formerly known as "Revolvo"